

Handbook on

Telecom

(Edition - 1)

Ready Reference for all
Telecom Aspirants, Entrepreneurs & Students

By

AVINASH HANDOO

B.E (Telecommunications), MBA

(© Copyright Enigma Telecom Pvt. Ltd., All rights reserved.)

Handbook on Telecom
Published by
Enigma Telecom Pvt. Ltd.

Copyright © 2017 by Enigma Telecom Pvt. Ltd.
Published by Enigma Telecom Pvt. Ltd., Noida

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except as permitted under Sections 107 or 108 of the 1976 United States Copyright Act, without the prior written permission of the Publisher.

Trademarks: Logo Enigma Telecom Pvt. Ltd. , Handbook on Telecom.

LIMIT OF LIABILITY/DISCLAIMER OF WARRANTY: THE PUBLISHER AND THE AUTHOR MAKE NO REPRESENTATIONS OR WARRANTIES WITH RESPECT TO THE ACCURACY OR COMPLETENESS OF THE CONTENTS OF THIS WORK AND SPECIFICALLY DISCLAIM ALL WARRANTIES, INCLUDING WITHOUT LIMITATION WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE. NO WARRANTY MAY BE CREATED OR EXTENDED BY SALES OR PROMOTIONAL MATERIALS. THE ADVICE AND STRATEGIES CONTAINED HEREIN MAY NOT BE SUITABLE FOR EVERY SITUATION. THIS WORK IS SOLD WITH THE UNDERSTANDING THAT THE PUBLISHER IS NOT ENGAGED IN RENDERING LEGAL, ACCOUNTING, OR OTHER PROFESSIONAL SERVICES. IF PROFESSIONAL ASSISTANCE IS REQUIRED, THE SERVICES OF A COMPETENT PROFESSIONAL PERSON SHOULD BE SOUGHT. NEITHER THE PUBLISHER NOR THE AUTHOR SHALL BE LIABLE FOR DAMAGES ARISING HEREFROM. THE FACT THAT AN ORGANIZATION OR WEBSITE IS REFERRED TO IN THIS WORK AS A CITATION AND/OR A POTENTIAL SOURCE OF FURTHER INFORMATION DOES NOT MEAN THAT THE AUTHOR OR THE PUBLISHER ENDORSES THE INFORMATION THE ORGANIZATION OR WEBSITE MAY PROVIDE OR RECOMMENDATIONS IT MAY MAKE. FURTHER, READERS SHOULD BE AWARE THAT INTERNET WEBSITES LISTED IN THIS WORK MAY HAVE CHANGED OR DISAPPEARED BETWEEN WHEN THIS WORK WAS WRITTEN AND WHEN IT IS READ.

For general information on our other products and services, please contact our Customer Care Department

ISBN: 978-93-5235-156-5

Manufactured in the INDIA

Part-I

Networking

What is networking?

Connectivity amongst many communication .A network consists i.e computer/server/printer etc., share resources and information videos, printers and CD etc).


The computers on a network may cables, telephone lines, radio infrared light beams.



entities for desired of two or more nodes linked in order to (such as data files,

be linked through waves, satellites, or

Topology – Linear Bus



A linear bus topology consists of a main cable bus which run through the number of nodes / computers receiving carrying and delivering the desired information to respective nodes

Advantages of a Linear Bus Topology

- ◇ Easy to connect a computer or peripheral to a linear bus.
- ◇ Requires less cable length than a star topology.

Disadvantages of a Linear Bus Topology


- ◇ Entire network shuts down if there is a break in the main cable.
- ◇ Difficult to identify the problem, if the entire network shuts down.
- ◇ Not recommended as a stand-alone solution in a large building.

Topology - Star

In Star topology each connects to the central server through

Advantages of a Star Topology

- ◇ Easy to install and wire.
- ◇ No disruptions to the network removing devices.
- ◇ Modular and scalable design, easy to detect faults and to remove parts.



node/Computer a separate path.


when connecting or

Disadvantages of a Star Topology

- ◇ Requires more cable length than a linear topology.
- ◇ If the central node i.e. hub, switch, or concentrator fails, nodes attached are disabled.
- ◇ More expensive than linear bus topologies because of the cost of the hubs etc.

Topology – Tree

A tree topology combines characteristics of topologies. It consists of groups of star-workstations connected to a linear bus



linear bus and star
configured
backbone cable

Advantages of a Tree Topology

- ◇ Point-to-point wiring for individual
- ◇ Supported by several hardware vendors.


segments.
and software

Disadvantages of a Tree Topology

- ◇ Overall length of each segment is limited by the type of cabling used.
- ◇ If the backbone line breaks, the entire segment goes down.
- ◇ More difficult to configure and wire than other topologies.

Topology - Mesh

A Mesh topology provides each point-to-point connection to every network. These are most commonly which connect networks over links.



device with a
other device in the
used in WAN's,
telecommunication

Advantages of Mesh Network

- ◇ Mesh networks provide event of a link failure.
- ◇ Meshed networks enable through any other site connected to the network.

redundancy, in the

data to be routed

Disadvantage of Mesh Network

- ◇ Because each device has a point-to-point connection to every other device, mesh topologies are the most expensive and difficult to maintain


Summary Chart

Physical Technology	Common Cable	Common Protocol
Linear Bus	Twisted Pair Coaxial Cable	Ethernet
Star	Twisted pair fiber	Ethernet
Tree	Twisted Pair Coaxial Cable	Ethernet
Mesh	Twisted pair fiber	Ethernet


Major Consideration while designing network

1. Cost of components required
2. Length and Type of cable required
3. Scalability to be taken into account

Networking Model



Connecting devices and the OSI model



Explanation of OSI Model

Application (Layer 7)

This layer supports application and end-user processes. Communication partners are identified, quality of service is identified, user authentication and privacy are considered, and any constraints on data syntax are identified. Everything at this layer is application-specific. This layer provides application services for file transfers, e-mail, and other network software services. Telnet and FTP are applications that exist entirely in the application level. Tiered application architectures are part of this layer.

Presentation (Layer 6)

This layer provides independence from differences in data representation (e.g., encryption) by translating from application to network format, and vice versa. The presentation layer works to transform data into the form that the application layer can accept. This layer formats and encrypts data to be sent across a network, providing freedom from compatibility problems. It is sometimes called the syntax layer.

Session (Layer 5)

This layer establishes, manages and terminates connections between applications. The session layer sets up, coordinates, and terminates conversations, exchanges, and dialogues between the applications at each end. It deals with session and connection coordination.

Transport (Layer 4)

This layer provides transparent transfer of data between end systems, or hosts, and is responsible for end-to-end error recovery and flow control. It ensures complete data transfer.

Network (Layer 3)

This layer provides switching and routing technologies, creating logical paths, known as virtual circuits, for transmitting data from node to node. Routing and forwarding are functions of this layer, as well as addressing, internetworking, error handling, congestion control and packet sequencing.


Data Link (Layer 2)

At this layer, data packets are encoded and decoded into bits. It furnishes transmission protocol knowledge and management and handles errors in the physical layer, flow control and frame synchronization. The data link layer is divided into two sub layers: The Media Access Control (MAC) layer and the Logical Link Control (LLC) layer. The MAC sub layer controls how a computer on the network gains access to the data and permission to transmit it. The LLC layer controls frame synchronization, flow control and error checking.

Physical (Layer 1)

This layer conveys the bit stream - electrical impulse, light or radio signal through the network at the electrical and mechanical level. It provides the hardware means of sending and receiving data on a carrier, including defining cables, cards and physical aspects. Fast Ethernet, RS232, and ATM are protocols with physical layer components.


En-capsulation



En-capsulation:

As we move up the layers, respective information of upper layer is added as a header, known as en-capsulation of data


De-capsulation:



De-capsulation


As we move down the layers, respective information of downward layer is removed and information is seized, known as de-capsulation of data

Control information



- Interface card
- 4. Hubs
- 5. Switches
- 6. Bridges
- 7. Routers
- 8. Firewall

Components of Network



1. Network Server
2. Workstation
3. Network

Components of Network

1. Network Server

These are very fast computers with a large amount storage space, along with one or more network interfaces. The network operating system provides tools to share server resources and information with network users

Design Requirement

- ◇ Fastest processor(s)
- ◇ Large amount of RAM

- ◇ Multiple large, fast hard drives
- ◇ Extra expansion slots
- ◇ Fast network interface card(s)
- ◇ Workstation



2. Workstation

Computers that humans use are broadly categorized as workstations. A typical workstation is a computer that is configured with a network interface card, networking software, and the appropriate cables.

Workstations do not necessarily need large storage hard drives, because files can be saved on the file server. Almost any computer can serve as a network workstation.

